

Everest Elite



Everest Elite

Inspired by the award winning Everest model, Crystal Mountain introduces the stunning Everest Elite. Innovative design features include; removable side panels, the DryGuard™ non-spill system and raised faucet handles. It's sleek design and upscale look is perfect for either home or office environments. Crystal Mountain proves that anything is possible when there is a drive to reach new heights!



Sturdy Metal Faucet Handles



Chrome Accent Look



Interchangeable Lower Front Panel



Removable Reservoir/Faucet Assembly

Features

- Slim and Sleek with high gloss finish, Chrome effects, and recessed faucets
- Maintenance friendly, Removable reservoir & faucet assembly
- Energy Star Certified
- DryGuard™ – patented no spill system
- Integrated spring loaded cup dispenser (9 oz flat bottom)
- Ergonomic faucet height



Optional

- Change out front panel to without cup dispenser (sold separately)
- Convert to Point of Use – Assembly kit sold separately

DryGuard™

Crystal Mountain's patented sealed no spill system, the DryGuard™ protects floors against leaks caused by cracked or faulty bottles.



Everest Elite

Performance & Specifications

General

An air-cooled water dispenser with a compressor-driven refrigeration system and a removable reservoir for sanitizing
Available in hot + cold. Angle Power cord, Power Cord Hanger

Cooler Cabinet

Plastic outer panels use Higher gloss ABS. Chrome Strip
Standard colour in black. Other colours available for high volume orders

Faucet Type

New Childproof safety Faucet Handle and Button. LED Nightlight. Hot Water Warning Label
Covered one-piece mechanical faucets protect the faucet spout from contamination, are extra durable and add to the stylish presentation

Cold Water Tank Specifications

PP casing with 2.4 L (0.6 gal) volume
Cold water cooling capacity of 1 L (0.3 gal)/hour based on 21°C (69.8°F) room temperature

Cold Water Thermostat

Preset at factory to dispense water at temperatures from 4-10°C (39.2 - 50°F)
Adjustable cold control located at back of cabinet

Hot Water Tank

Stainless steel #304 casing with 1.1 L (0.3 gal) volume
Hot water capacity of 4.0 L (1.2 gal)/hour based on 21°C (69.8°F) room temperature
New: Sealed Bi-Metal (Auto Cutout)

Hot Water Thermostat & Heaters

Automatic thermostat set at temperature range of 74-92°C (165.2-197.6°F)
Manual thermostat reset in case of automatic thermostat failure
ON/OFF switch is located at back of cabinet
New: Silicone Reset Cover

Compressor

Hermetically sealed reciprocating compressor
(220-240VAC 50Hz) (100-115VAC 60Hz)

Noise (Sound Power Level): 44dB

Refrigerant Type: R134a

Refrigerant Charge: 30.0g (1.1 oz)

Dimensions & Freight Data

Model Number	Products Dimensions WxDxH (mm/in.)	Box Dimensions WxDxH (mm/in.)	Product Weight (kg/lb)	Product Boxed Weight (kg/lb)	Loading Qty.	
			H&C	H&C	20FT	40FT
Everest Elite Bottle water cooler without cup dispenser	319x310x1053mm	330x330x1070mm	12.4 kg	13.7 kg	238 units	504 units
	12.5"x12.1"x41.4"	13.0"x13.0"x42.1"	27.3 lb	30.1 lb		
Everest Elite Bottle water cooler with cup dispenser	319x327x1053mm	330x330x1070mm	12.7 kg	14.1 kg	238 units	504 units
	12.5"x12.9"x41.4"	13.0"x13.0"x42.1"	28.0 lb	31.0 lb		



All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.



Crystal Mountain Products Limited

North American Sales Office

11925 -145th Street
Edmonton, Alberta
Canada T5L 2H4
Tel: 1 800 878 6422
Tel: 1 780 454 4545
Fax: 1 780 454 9816
E-mail: sales@crystalcoolers.com

European Sales Office

Fence House, Fence Avenue
Macclesfield, Cheshire
United Kingdom SK10 1LT
Tel: +44(0) 1625 439 111
Fax: +44 (0) 1625 502 527
E-mail: cmeurope@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office

Room 610, Winfield Commercial Building
6-8a Prat Avenue, Tsimshatsui
Kowloon, Hong Kong
Tel: (852) 2368 1989
Fax: (852) 3017 6727
E-mail: cmasia@crystalcoolers.com

www.crystalcoolers.com

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.